LR 2000 User Guide for Mining Claims

The Bureau of Land Management (BLM) administers more public land - over 245 million surface acres - than any other Federal agency in the United States. Most of this land is located in the 12 Western states, including Alaska. The BLM's Legacy Rehost System, called LR2000, provides reports on BLM land and mineral use authorizations for oil, gas, and geothermal leasing, rights-of-way, coal and other mineral development, land and mineral title, mining claims, withdrawals, classifications, and more on federal lands or on federal mineral estate. The LR2000 enables users to access the same information over the Internet as in the BLM State Office Information Access Centers.

LR2000 provides access to the following systems. To run reports you will need to know which of the following systems the information you are looking for is in:

- **Case Recordation (CR)** contains information on land and mineral use authorizations, title, withdrawals, classifications, and more issued by the BLM on federal actions affecting public lands of the United States.
- Mining Claim Recordation (MC) contains information on unpatented mining claims located on federal lands.
- Status (ST) contains information on withdrawals, land classifications, and title transfer documents issued mainly before 1984. Title documents transferred lands in and out of government ownership.
- Legal Land Description (LLD) contains cadastral survey data and other information such as state, county, BLM field office, and surface management agencies (BLM, Forest Service, etc.).

Please see the options on the left for further information about the LR2000 system, as well as informational resources such as user guides and reference materials.

Note:

-LR2000 is not available from 1:00 AM - 3:00 AM Mountain Time. -Mining Claimants can now pay their annual maintenance fees online at <u>https://payp.blm.gov/eppcore/home.</u> The following is a step-by-step guide to assist those wishing to generate a Mining Claim Geographic Report utilizing the LR2000 system to determine the presence of and location of unpatented mining claims on areas of interest.

The website where this information can be found is <u>https://reports.blm.gov/reports/LR2000/</u>. The opening page is shown below:



Figure 1. View of the opening BLM webpage for <u>https://reports.blm.gov/reports/LR2000/</u>

From this point you will scroll down to the "Public Mining Claims Reports" section; circled in red below.

Pub LLD Acreage	
Pub LLD Summary	
ublic Mining Claims Reports	
Pub MC Action Code	
Pub MC Claim Name/Number Index	
Pub MC Customer Info	
Pub MC Geo Index	
Pub MC Geo Report	
Pub MC Serial Number Index	
Pub MC Serial Register Page	
ublic Status Reports	
Pub ST Serial Register Page	

Figure 2. View of the "Public Mining Claims Reports" section

From this page you will select the "Pub MC Geo Report" link; location shown with a red arrow above. This will bring up a screen for search criteria. There are several filters you will need to complete from here. The remainder of this guide will assist with completing the filter options. As you become more familiar with LR2000 you can utilize some of the other reports and filters, but it is best to start with this one.

Pub MC Geo Report

OUser Guide Reference Codes

This report lists all the mining claims (active, close administrative state.	d, and/or pending) in a specific geographic location. This report can be retrieved for any
Report	
Instructions:	
Please Choose Criteria To Filter:	
Asterisk (*) indicates Mandatory Criteria - ple	ase select from the list of values.
Choose ONE and ONLY ONE - Meridian Tov	Inship Range -OR- Meridian Township Range Section.
MTD/S) must be entered as:	
2 digits for Meridian, Space, 5 characters for	Township, Space, 5 characters for Range (3 digits for Section.).
For example to enter T1N R1E (Section 1) in	Idaho, you would enter 08 0010N 0010E (001).
 For Township and/or Range, the first thing the fourth character of Township and R 	ee characters are the Township or Range number, zero-filled from the left.
 The fifth character is the Direction of the 	e Township or Range.
 For example, to enter T3 1/2 N, R28E or 	f the Gila-Salt-River meridian in Arizona, you would enter 14 0032N 0280E.
See Reference Codes link above for a valid	Meridian Code.
Then choose from any of the Optional criteria	a.
Click OK to run the report.	
* Admin State:	(All Column Values)
Admini State.	NULL
	AZ
	CA CA
	CO
	ES
	NV
	OR
	UT
	□ WY
* Meridian Township Range:	Select Value
-OR- * Meridian Township Range Section:	Select Value
Subdivision	Select Value
* Disposition:	V (All Column Values)
	ACTIVE
	U CLOSED
	U PENDING
Admin Agency:	Select Value
Geo State:	Select Value

Figure 3. View of the "Pub MC Geo Report" criteria filter page

On this screen check the criteria options above; location shown with the red arrows and checkmarks.

Report			
Instructions:			
Please Choose Criteria To Filter:			
Asterisk (*) indicates Mandatory Criteria - ple	ase select from the list of va	lues.	
Choose ONE and ONLY ONE - Meridian Toy	unshin Range -OR- Meridian	Township Range Section	
	intering runge ort mendulum	Tomanip Range Coolien.	
MTR(S) must be entered as: 2 digits for Meridian, Space, 5 characters for	Township, Space, 5 charact	ers for Range (3 digits for Section.).	
For example to enter T1N R1E (Section 1) in	Idaho, you would enter 08 (0010N 0010E (001).	
The fourth character of Township and R	ange field is always 0 unless	ship or Range number, zero-filed from the left. s there is a half-township in which case the character	is 2.
 The fifth character is the Direction of the Exception of the enter T2 1/2 NL D28E of 	Township or Range.	n in Arizona, you would onter 14 0022N 0220E	
Tor example, to enter 13 hz W, R20E 0	The Glia-Salt-River menula		
See Reference Codes link above for a valid f	Meridian Code.		
Then choose from any of the Optional criteria	1.		
Click OK to run the report.			
* Admin State:	🗏 (All Column Values)		
tore build			
	II AZ		
	ES		
	D		
	III MT		
	NM R		
	Ø NV □ OP		
	■ WY		
* Meridian Township Range:	Select Value		
-OR- * Meridian Township Range Section:	I NULL	<u>^</u>	
Subdivision	0000		
t Discouting	21 0010N 0310E		
- Disposition:	21 0010N 0320E		
	21 0010N 0330E		
		-	
Admin Agency:	More/Search		
Geo State:	(All Column Values)	•	
		OK Pas	tot T
	Refresh	OK Res	

Figure 4. Selecting filter criteria for the location of interest using legal land descriptions

Select the dropdown arrow for the legal land description type you wish to use. You can either use "Meridian Township Range" or "Meridian Township Range Section." In the illustration above the dropdown next to "Meridian Township Range" has been selected; location shown with a red arrow.

The specific "Meridian Township Range" or "Meridian Township Range Section" can be selected from the dropdown menu by checking one or more of the boxes to the left of the legal land description you would like to search.

Alternatively, you can manually enter the legal land descriptions you would like to search by clicking "--Selected Value--" and then typing the legal land descriptions you would like to search, each one separated by a semicolon and a space, using one of the following formats: "21 0XX0S 0XX0E" (for "Meridian Township Range") or "21 0XX0S 0XX0E XXX" (for "Meridian Township Range Section"); where the X's represent the Township, Range, and Section numbers. (Example: 21 0270S 0580E 001; 21 0270S 0580E 002 represents Meridian 21 Township 27 South, Range 58 East, section 1 and section 2)

Report			
Instructions:			
Please Choose Criteria To Filter:			
Asterisk (*) indicates Mandatory Criteria - p	lease select from the list of values.		
Choose ONE and ONLY ONE - Meridian To	wnship Range -OR- Meridian Tow	nship Range Section.	
MTD(S) must be entered as:			
2 digits for Meridian, Space, 5 characters for	r Township, Space, 5 characters for	or Range (3 digits for Section.).	
For example to enter T1N R1E (Section 1)	in Idaho, you would enter 08 0010	N 0010E (001). The Pange number is zero filled from the left	
 The fourth character of Township and 	Range field is always 0 unless the	re is a half-township in which case the ch	aracter is 2.
 The fifth character is the Direction of the For example, to enter T3 1/2 N R28E 	te Township or Range. of the Gila-Salt-River meridian in 4	Arizona, you would enter 14 0032N 0280	Fas
See Reference Codes link above for a valid	Meridian Code.		
Then choose from any of the Optional criter	ia.		
Click OK to run the report.			
* Admin State	(All Column Values)		
Aunin State.	NULL		
	🔲 AZ		
	CA		
	■ co		
	ES		
	I MT		
	III NM		
	NV NV		
	BUT		
* Meridian	(All Column Values)	*	
OD + Maridian Tawashin Damas Sastian			
-OK- Mendian Township Range Section.			
Subdivision			
* Disposition:	BUREAU OF INDIAN AFFAIRS		
	BUREAU OF LAND MGMT		
	BUREAU OF RECLAMATION		
	Search		
Admin Agency:	(All Column Values)	•	
Geo State:	(All Column Values)	•	
			K Reset .
	Refresh		ALCOLL T

Figure 5. Selecting filter criteria for the "Admin Agency" and "Geo State" filters

Select the dropdown arrow for "Admin Agency" to update this filter; location shown with a red arrow above. Uncheck the "(All Column Values)" box and then check the "BUREAU OF LAND MGMT" box; location shown with the yellow arrows and red checkmark above.

Similarly, select the down arrow for "Geo State" to update this filter function. Uncheck the "(All Column Values)" box and then check the "NV" box.

Instructionse Process Criteria To Filter: Activation of the Activation Township Range -OR- Meridian Township Range Section: Township and or Range, the first three characters for Range (2) digits for Section (2). Township and/or Range, the first three characters are the Township Range submit (2) digits for Meridian (2) would denied for Southon (2). To Mornship and/or Range, the first three characters are the Township or Range number. zero: Filled from the let at (2). To Mornship and/or Range, the first three characters are the Township or Range number. zero: Filled from the let at (2). To mornship and/or Range, the first three characters are the Township or Range number. zero: Filled from the let at 34430 0 undership township in which case the at 441 to 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona, you would enter 14 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona, you would enter 14 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona you would enter 14 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona you would enter 14 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona you would enter 14 0032N 0280E. To example to enter T3 12 N, R280 of the Gila Salt-Never meridian in Arizona you would enter 14 0032N 0280E. To would be character for wonship Range Section in the township Range Section in the township Range Section	port			
Please Choose Criteria To Filter: Asterisk (*) indicates Mandatory Criteria - please select from the list of values. Choose ONE and ONLY ONE - Meridian Township Range -OR- Meridian Township Range Section. MTR(S) must be entered as: 2 digits for Meridian, Space, 5 characters for Township, Space, 5 characters for Range (3 digits for Section.). For example to enter THN R1E (Section 1) in idano, you would enter 08 0010N 0010E (001). • For township and Range, filed is always 0 unless there is a half-township in which case the character is 2. • To Township and Range, filed is always 0 unless there is a half-township in which case the character is 2. • For example, to enter T3 H2 N, R28E of the Gia-Salt-River meridian in Arizona, you would enter 14 0032N 0280E. See Reference Codes link above for a valid Meridian Code. Then choose from any of the Optional criteria. Click OK to run the report. • Admin State: QIII Column Values) ULL 2 CA OR ULL 2 0 MT Meridian Township Range = Select Value- • Weridian Township Range Section: 2 log205 0650E 001 • Weilian • Meridian Township Range Section: 2 log205 0650E 001 • Disposition: • QIAI Column Values QIAI Column Values U CR • Meridian Township Range Section: • QIAI Column Values U CR • Meridian Township Range Section: • QIAI Column Values U CR • Cone • Meridian Township Range Section: • QIAI Column Values U CR • Cone • Meridian Township Range Section: • QIAI Column Values U CR • Cone • Meridian Township Range Section: • QIAI Column Values U CR • Cone • Meridian Township Range Section: • QIAI Column Values U CR • Cone • Meridian Township Range Section: • QIAI Column Values U CR • U CR • U CF • DISPOSITION: • DISPOSIT	Instructions:			
Asterisk (*) indicates Mandatory Criteria - please select from the list of values. Choose ONE and ONLY ONE - Meridian Township Range -OR- Meridian Township Range Section. MTR(S) must be entered as: 24 of play 5 of Meridian Space, 5 characters for Township, Space, 5 characters for Range (3 digits for Section.). For revample to enter T1N R1E (Section 1) in dano, you would enter 06 00100 0010E (001) • For Township and Arange, file di sa Ways 0 unless there is a half-fownship in which case the character is to 15 of township of Range. • For example, to enter T3 1/2 N, R28E of the Gila-Salt-River meridian in Arizona, you would enter 14 0032N 0280E Sec Reference Codes link above for a valid Meridian Code. Then choose from any of the Optional criteria. Click OK to run the report • Admin State: All Column Values) Admin State: Admin State: All Column Values) Admin State: Admin State: Admin State: All Column Values) Admin State:	Please Choose Criteria To Filter:			
<form>Choose ONE and ONLY ONE - Meridian Township Range -OR- Meridian Township Range Section. MTR(S) must be entered as: 2 digits for Meridian, Space, 5 characters for Township, Space, 5 characters for Range (3 digits for Section.). To reample to entere T1 N R1E (Section 1) in Idano, you would enter 08 0010N 0010E (001). The fourth character of Township and Range the list three characters are the Township or Range. Three the character is a character is a native strate in the number of the object of</form>	Asterisk (*) indicates Mandatory Criteria - ple	ease select from the list of values	i.	
MTR(S) must be entered as: 2 digits for Meridian, Space, 5 characters for Township, Space, 5 characters for Range (3 digits for Section.). F for Township and/or Range, the first three characters are the Township or Range unbids: case the character is 2. The furth character is the Direction of the Township or Range. For example, to enter T3 1/2 N, R28E of the Gila-Salt-River meridian in Arizona, you would enter 14 0032N 0280E. See Reference Codes link above for a valid Meridian Code. Then choose from any of the Optional criteria. Click OK to run the report. * Admin State: All Column Values) NULL 2 / CO E * Meridian Township Range Select Value- U 0270S 6580E 001 U 0270S 0580E 001 U 0270S 0580E 001 C C C C C C C C C C	Choose ONE and ONLY ONE - Meridian To	wnship Range -OR- Meridian To	wnship Range Section.	
See Reference Codes link above for a valid Meridian Code. Then choose from any of the Optional criteria. Click OK to run the report. * Admin State: (All Column Values) NULL C CA C	MTR(S) must be entered as: 2 digits for Meridian, Space, 5 characters for For example to enter T1N R1E (Section 1) in For Township and/or Range, the first thr The fourth character of Township and R. The fifth character is the Direction of the For example, to enter T3 1/2 N, R28E of	Township, Space, 5 characters I daho, you would enter 08 0010 ee characters are the Township ange field is always 0 unless the Township or Range. 'the Gila-Salt-River meridian in /	for Range (3 digits for Si N 0010E (001). or Range number, zero-i re is a half-township in w Arizona, you would enter	ection.). filled from the left. /hich case the character is 2. *14 0032N 0280E.
Then choose from any of the Optional criteria. Click OK to run the report. Admin State: All Column Values) NULL AZ AZ CO CO D MT MM MN NNM NNM NNM OR UT VT VT VT VT VT VT VT OR-* Meridian Township Range Section: Select Value	See Reference Codes link above for a valid	Meridian Code.		
Click OK to run the report. Admin State: All Column Values NULL AZ AZ COL D MT MT MN MN MN MN MN MN NN COL C C C C C C C 	Then choose from any of the Optional criteria	a.		
* Admin State: (All Column Values) NULL AZ CA CO ES DI ID MT MM NM NM NM NM NM NM NM V VT WY * Meridian Township Range: -Select Value	Click OK to run the report.			
-OR-* Meridian Township Range Section: 21 0270S 0580E 001 Subdivision -Select Value * Disposition: ✓ (All Column Values) ✓ ACTIVE ✓ CLOSED ✓ PENDING BUREAU OF LAND MGMT Geo State: NV K Reset ▼	* Meridian Township Panga:	NULL AZ CA CO ES ID MT NM ØNV OR UT WY Saloct Value		
-OR- * Meridian Township Range Section: 21 0270S 0580E 001 Subdivision -Select Value * Disposition: ☑ (All Column Values) ☑ ACTIVE ☑ CLOSED ☑ PENDING BUREAU OF LAND MGMT NV	* Meridian Township Range:	Select Value	•	
Subdivision Select Value ▼ * Disposition: ✓ (All Column Values) ✓ ACTIVE ✓ (COSED ✓ CLOSED ✓ PENDING BUREAU OF LAND MGMT ▼ Geo State: NV	-OR- * Meridian Township Range Section:	21 0270S 0580E 001	•	
* Disposition: ☑ (All Column Values) ☑ ACTIVE ☑ CLOSED ☑ PENDING Admin Agency: BUREAU OF LAND MGMT ▼ Geo State: NV	Subdivision	Select Value	•	
Admin Agency: BUREAU OF LAND MGMT Geo State: NV	* Disposition:	 ☑ (All Column Values) ☑ ACTIVE ☑ CLOSED ☑ PENDING 		
Geo State: NV	Admin Agency:	BUREAU OF LAND MGMT	•	
OK Roset -	Geo State:	NV	T	Ļ
				OK Reset -

Figure 6. Example of a completed Pub MC Geo Report filter page

After the filter criteria has been updated select the "OK" button on the bottom right to generate the report; location shown with a red arrow above. To reset the filters select the reset bottom right and begin again.

			MINING	CLAI	M GEOGRAPH	IC REPORT					
List of Mining Claims by Section					Click on the down arrow to select the view you would like.						
Serial Number	Lead Serial	Number	Mer Twn Rng Sec	Quad	Claim Name	Claimant Name	Case Type	Status	Loc Date	Last Assmt Yr	
NMC96343	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 5	PARSONS ANNA MARIA	LODE	CLOSED	07/10/1974	1989	
NMC96343	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 5	TUNGSTEN SPRINGS LTD	LODE	CLOSED	07/10/1974	1989	
NMC96344	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 6	PARSONS ANNA MARIA	LODE	CLOSED	07/10/1974	1989	
NMC96344	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 6	TUNGSTEN SPRINGS LTD	LODE	CLOSED	07/10/1974	1989	
NMC96345	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 7	PARSONS ANNA MARIA	LODE	CLOSED	07/10/1974	1989	
NMC96345	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 7	TUNGSTEN SPRINGS LTD	LODE	CLOSED	07/10/1974	1989	
NMC96346	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 8	PARSONS ANNA MARIA	LODE	CLOSED	07/10/1974	1989	
NMC96346	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 8	TUNGSTEN SPRINGS LTD	LODE	CLOSED	07/10/1974	1989	
NMC96349	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 11	PARSONS ANNA MARIA	LODE	CLOSED	11/15/1974	1989	
NMC96349	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 11	TUNGSTEN SPRINGS LTD	LODE	CLOSED	11/15/1974	1989	
NMC96350	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 12	PARSONS ANNA MARIA	LODE	CLOSED	11/15/1974	1989	
NMC96350	NMC96339		21 0270S 0580E 001	NE	COPPER HILL # 12	TUNGSTEN SPRINGS LTD	LODE	CLOSED	11/15/1974	1989	

Figure 7. Example Mining Claim Geo Report

This is an example of a report for the filters used on the previous page. This information can now be plotted on a map, by you, using information in the third and fourth column; "Mer Twn Rng Sec" and "Quad" respectively.

Additional functions to note on this page:

- You can click on the serial numbers for each of the claims to review the "SRP" which contains additional information pertinent to the claim of interest; circled in blue.
- At the bottom of the page you can select the following options (red circle):
 - **Return:** This will return you to the "Pub MC Geo Report" criteria filter page where you can edit the filters you previously entered.
 - **Refresh:** This will refresh the report in the event that there is an error while loading.
 - **Print:** Print the report.
 - **Export:** Export the report as a PDF, Excel, PowerPoint, or Web Archive.